


料号: 84-150561-030
5056A/(VINVERTH)VKHT 5056说明书
SIZE: 210*144.5mm
铜板纸(封面157克,内页128克)



Multimedia Speaker System



REMOTE CONTROL



www.vinverth.com www.briteliteworld.com

Operating Instructions



**To: Britelite Middle East FZCO
P.O. Box : 18087
Jebel Ali - Dubai
United Arab Emirates**

VINVERTH™ MULTIMEDIA SPEAKER SYSTEM WARRANTY REGISTRATION CARD

VINVERTH™ Model No. Batch Code:

Dealer Name:

Address:

.....

Date of Purchase:

Name of Customer:

Address:

Phone:

Please return this warranty card duly filled within 14 days to validate the warranty to:

Britelite Middle East FZCO

P.O. Box : 18087

Jebel Ali - Dubai

United Arab Emirates

CONTENTS

Safety Instructions	1-3
Contents	4
Front Panel	
Rear Panel	5
Speaker Connections	
Remote Control	6 - 7
Operating The System	8 - 9
Positioning The Subwoofer	9 - 10
Recommended 5.1 Ch. Speaker Layout	11
Specification	
Service Centres	12-13
Warranty Terms & Conditions	14-15
Warranty Registration Card	

SAFETY INSTRUCTIONS



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated dangerous voltage within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.



To prevent the risk of electric shock, do not remove cover (or back). No user-serviceable parts inside. Refer servicing to qualified service personnel.

CAUTION

To prevent electric shock, do not use this (polarized) plug with a cord, receptacle or any other outlet unless the pins can be fully inserted to prevent the pins getting exposed.

WARNING

To reduce the risk of fire or electric shock, do not expose this appliance to rain or moisture.

- Carefully read the operating instructions prior to start using the product. Store the operating instructions in a safe place for future reference.
- All warnings on the appliance and in the operating instructions should be adhered to.
- The appliance should not be used near water. (for example, near a bathtub, washbowl, kitchen sink, laundry tub, in a wet basement, or near a swimming pool, etc.)
- To reduce the risk of fire or electric shock, do not expose this appliance to rain or moisture.



GINVERTH™ MULTIMEDIA SPEAKER SYSTEM WARRANTY CARD

Model No. Batch Code :

Date of Purchase

Name of Customer:

This portion of the warranty card is to be retained by the Customer.

If Customer cannot present this card and official purchase receipt, repair / service will be on a chargeable basis.

**Britelite Middle East FZCO
P.O. Box : 18087
Jebel Ali - Dubai
United Arab Emirates**

WARRANTY - TERMS & CONDITIONS

In as far as the products shows defects as to workmanship or materials within the individual warranty period, VINVERTH shall repair or exchange the products according to its preference. The repair can be made in accordance with this warranty with functionally equivalent , reconditioned parts. Any replaced or defective parts or components of the products become the property of as a result of their replacement.

The client will be responsible for any transportation charges arising out of the warranty.

The completed warranty card must be returned to Britelite Middle East FZCO within 14 days of purchase. Upon failure to observe this time limit, no warranty claim exists. The second section of the warranty card should be stored in a safe place and produced in the event of any warranty claim.

In any event VINVERTH under this warranty is not liable for any further damages, to the inclusion of consequential damage or damage of other indirect cause.

It is of interest to VINVERTH that purchasers in all countries are granted a warranty, which is in all respects equivalent. However the possibility that some conditions of this warranty will be invalid in individual countries cannot be excluded. In that event, the validity of the remaining warranty conditions shall remain unaffected. The invalid provisions shall be replaced by valid provisions that will fulfill the purpose of the warranty to the closest extent possible.

SAFETY INSTRUCTIONS

- The product should be placed in a location so as to get proper ventilation. (For example, the appliance should not be situated on a bed, sofa, rug, or similar surface that may block the ventilation openings; or placed in a built-in installation, such as a closed bookcase or cabinet that may impede the flow of air through the ventilation openings.)
- The appliance should be situated away from heat sources such as radiators, heat registers, stoves, or other appliances (including amplifiers) that produce heat.
- The appliance should be connected to a power supply only of the type described in the operation instructions or as marked on the appliance.
- Power-supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them. Pay particular attention to cords at plugs, convenience receptacles as this can result in a risk of fire or electric shock.
- Do not overload wall outlets, extension cords, or integral convenience receptacles as this can result in a risk of fire or electric shock.
- Precautions should be taken so that the grounding or polarization means of the product is not affected.
- The appliance should be cleaned only with a polishing cloth or a soft dry cloth. Never clean with furniture wax, benzene, insecticides or other volatile liquids since they may corrode the cabinet.
- The power cord of the appliance should be unplugged from the outlet when left unused for a long period of time.
- Unplug the appliance during lightning & storms.
- Care should be taken so that objects do not fall and liquids are not spilled into the enclosure through openings.
- Only use attachments / accessories specified by the manufacturer.
- To avoid shock hazard or damage to the unit, do not attempt to remove the cover or the rear panel.
- The user should not attempt to service the product. Servicing should be referred to qualified service personnel only.

SAFETY INSTRUCTIONS

- The product should be serviced by qualified service personnel when:
 - ♦ The power-supply cord or the plug has been damaged.
 - ♦ Objects have fallen, or liquid has been spilled into the product.
 - ♦ The product has been exposed to rain.
 - ♦ The product does not appear to operate normally or exhibits a marked change in performance.
 - ♦ The product has been dropped or the enclosure damaged.
- Disconnect the mains plug from the outlet before attempting to clean the unit.
- Do not use harsh abrasives or chemicals to clean it, as it will damage the surface finish.
- Please use the accessories enclosed in the unit. Damage caused by using non-recommended or non-provided accessories will invalidate the warranty.
- Do not allow anything to drop into the subwoofer case through its ventilator, as it could result in fatal electric shock or fire.

LIMITED TWO YEAR WARRANTY

The **VINVERTH** Multimedia Speaker System (herein after called products) have been manufactured in accordance with the highest standards set and inspected prior to delivery.

Britelite Technologies GmbH (herein after called VINVERTH) warrants to the final consumer identified in the warranty card that the products will remain free from defects as to either workmanship or material for the duration of the warranty period. The warranty period commences upon the purchase of the product by the final consumer.

VINVERTH limited warranty covers only those defects which arises as a result of normal use of the product in the judgment of our engineers and does not cover the following.

1. Improper use or maintenance.
2. Unauthorized modification or repair in any way by the persons other than the technicians of
3. Defects that were caused by misuse, negligence, accident, insects or natural calamities.
4. Operation outside the product's environmental specifications.
5. Damage arising out of dropping the product from a height.
6. Malfunction caused by power interruption or abnormal voltage variation.
7. If the products should be damaged as a result of improper use, operation, storage or other influences (eg. Lightning, fire, water.)
8. If the product has been used with an accessory other than the original accessory that has not been expressly approved by **VINVERTH** or use with the products.
9. If the model number and / or serial number of the product and the warranty card is altered by any means.



Saudi Arabia

Britelite Jupiter Est. For Trdng
& Marketing

Khammis Mushaith

Opp. Badurudheen Polyclinic

Khammis Mushaith

Tel./Fax : 00966 7 2200906

Thabouk

Britelite Jupiter Est. for Trdng

& Markteting

Shara Al Aam

Near Mandhi Rabeeh

Thabouk

Tel./Fax : 00966 4 4241765

Buraidah

Britelite Jupiter Est. For Trdng
& Marketing

Yamani Galle

Kubaibah Area, Near Magradi Opticalcs

Buraidah

Tel./Fax : 00966 6 3239752

Dammam

Britelite Jupiter Est. For Trdng & Marketing

Al Mojil Commercial Center

Prince Mohd Street

Opp. King Fahad Big Mosque

Tel./Fax : 00966 3 8330697

Jeddah

Brite Lite Jupiter Est

R No 2105 1st Floor

Al-andalus Plaza Building

Ear Eritrian Embassy School

King Fahad Street

Tel.: 0096626040474

Riyadh

Britelite Jupiter Est. For Trdng & Marketing
Opp. Security Force Hospital

Behind Hawak Rent A Car

Shara Sitheen-Malaz

P .O. Box : 350475

Tel./Fax : 00966 1 4777729

Mob : 00966 50 0312665


United Arab Emirates

Jupiter Electronics Co. Llc

P. O. Box -14148 - Dubai


Tel.: 00971 4 3969668

CONTENTS




- | | |
|---------------------------------|-------|
| 1) User Manual | 1 pc |
| 2) Remote Control | 1 pc |
| 3) Subwoofer | 1 pc |
| 4) Center Speaker | 1 pc |
| 5) Front Speaker | 2 pcs |
| 6) Surround Speaker | 2 pcs |
| 7) RCA Cable 2 pin connector | 3 pcs |
| 8) RCA Jack to 3.5mm Jack cable | 1 pcs |

FRONT PANEL



- 1) VOLUME: Increase/Decrease the volume.
- 2) INPUT: Select the input source from S.1CH/STEREO/AUX/USB, SD, MMC/FM.
- 3) AUTO_SCAN: Automatically scan the next available station.
- 4) ADC: Press the button to activate Auto Distortion Control, press it again to turn it OFF.
- 5) SELECT: Select the individual speakers to adjust the volume.
- 6) 2.1/2.5: Select 2.1/5.1 CH output mode.
- 7) STANDBY: Power ON/OFF.
- 8) ◀◀: Previous.
- 9) ▶▶: Play/Pause.
- 10) ▶▶▶: Next.
- 11) SD/MMC Card Reader.
- 12) USB Inuit.

REAR PANEL



1) CD/AUX Input (2CH)
2) DVD Input (5.1CH)

3) Audio Output Jacks
FL=Front Left Speaker
FR=Front Right Speaker
SL=Surround Left Speaker
SR=Surround Right Speaker
CEN=Center Speaker

4) Power On / Off
5) AC In:AC Power Cord In
6) Fuse
7) FM ANT.

SPEAKER CONNECTIONS

To prevent malfunction and/or damage to speakers or other devices, always turn down the volume, and turn off the power on all devices before making any connections.



**Bahrain**

Yaquby Stores Wll
P.O. Box: 158, Manama
Tel.: 00973210956

India

Jupiter Electronics Service Center
Jupiter Tower
Opp. Alappatt Regency
Palarivattom
Cochin 682025
0091 484-2336421 / 0091 484-2338551

Jupiter Electronics Service Centre
4/134 Thadagam Road
K N G Pudur Cross
Coimbatore – 641108
0091 4222405149

Jupiter Electronics Service Center
Shope No.12,A-Wing
Greenfields Housing Socity
Opposite Fantasy Land,J.V.Link Road
(Jogeshwary Vikroli Link road)
Andheri(E)- Mumbai-400093
PH:022-65591470
Mob: 09833661043

Jupiter Electronics
B 408, Sai Datta Appt, Iqbal Manzil
Golconda Cross Road , Hyderabad.
Tel.: 0091 40 27674478

Kuwait

Mag-ic Jupiter Tdg. Est .
P.O. Box : 22980 , Safat
Tel.: 00965 2427917



Oman

Jupiter Limited Llc
Building No. 460
Opp. Ethihad Airways
Nr. Ministry Of Commerce
Cbd Area South, Ruwi
Sultanate Of Oman
Tel.: 00968 24818491

Qatar


Techno Electronics Trading EST
P.O.Box: 32125
Flat NO.25, Logic Bldg.,
Doha Jadeed, Doha Qatar.
Tel.: 00974 4414814
Fax.: 00974 4690343
Mob.: 00974 5142218

RECOMMENDED 5.1 CH. SPEAKER LAYOUT



SPECIFICATION

POWER INPUT _____	AC 220-240V, 50/60Hz
TOTAL POWER OUTPUT(RMS) _____	55 Watts (30W + 5 W* 5)
FREQUENCY RESPONSE _____	40-20 KHz
S/N RATIO _____	≥ 75dB
DISTORTION _____	T.H.D ≤ 0.5% @ 1W
DRIVER UNIT _____	5.25" x 1 (4 Ohms) + 3" x 5 (4 Ohms)
Weight _____	8.2 Kg.



- 1) STANDBY: Power ON/OFF.
- 2) ADC: Press the button to activate Auto Distortion Control, press it again to turn it OFF.
- 3) MUTE: To temporarily halt the sound.
- 4) INPUT: Select the input source from 5.1CH/STEREO/AUX/USB, SD, MMC/FM.
- 5) TUNE-: Press once to reduce the frequency by 0.1MHz, press and hold to scan backward the next available station.
- 6) TUNE+: Press once to increase the frequency by 0.1MHz, press and hold to scan forward the next available station.
- 7) 2.1/5.1: Select 2.1/5.1 CH output mode.
- 8) RESET: Adjust the volume of all the speakers and subwoofer to the default volume.
- 9) USB/SD: Select USB/SD input source.
- 10) ◀◀ : Previous.
- 11) ▶▶ : Play/Pause.
- 12) ▶▶ : Next.
- 13) FRONT: Press FRONT button, then press Volume -/+ button to decrease/increase the front speaker volume.
- 14) CENTRE: Press CENTRE button, then press Volume -/+ button to decrease/increase the centre speaker volume.
- 15) REAR: Press REAR button, then press Volume -/+ button to decrease/increase the rear speaker volume.
- 16) SUB-: Decrease the subwoofer volume.
- 17) SUB+: Increase the subwoofer volume.
- 18) VOLUME-: Decrease the master volume.
- 19) VOLUME+: Increase the master volume.